




Product Catalogue 2018




StepTreads

Pool Coping Profiles



Dummy Mosaic

Tile Cutting



1/72-74 Dover Drive, Burleigh Heads, Qld 4220
p: 07 5535 4111 m: 0419 704 516
info@customedtiles.com.au

www.customedtiles.com.au

Terms and conditions of sales & services

General

The Company shall not be liable for any loss or damage incurred by the customer whether caused by any defective material or otherwise

Goods will be at the Customer's risk immediately following dispatch from the Company's premises

The Company shall not be liable for any damage or breakage whatsoever occurring during and after delivery or for any loss incurred by the Customer as a result of such damage and breakage.

We recommend that only an experienced tradesman should lay natural stones and ceramic tiles. Inexperience with these process can result in damage to the material.

- Prices are liable to change without notice please contact to confirm pricing

-

Material handling

Material handling, re-packing fee applies to all orders as follow:

\$35.00 for small orders

\$45.00 per pallet or crate.

Payment

All prices are COD. Full payment required on, or prior pick up.

50% deposit may required on every special orders which are non refundable after work has commenced. Balance payable on -or- prior collection

Delivery

All prices are ex factory, freight arrangement is the customer's responsibility

Credits

No credit will be given for goods have been made according to the customer order but not required for any reason

Small orders

	Single thickness	Laminated
10 - 20 Lm	30% surcharge	25% surcharge
5 - 10 Lm	40% surcharge	30% surcharge
1 - 5 Lm	50% surcharge	40% surcharge

Minimum charge and samples

Minimum charge on single thickness profile: **\$ 60.00**. Laminated profiles: **\$80.00**

All samples other than on sample boards will be charged at cost price

Handy tips








When measuring up jobs always allow for waste. Ordering a few extra pieces after receiving your initial order, not only cost more but will also delay finishing the job.

Always check the direction of pattern or grain. On the profiled tiles they have to run on the same direction they do on the body tiles. Never forget to indicate on your order which edge needs to be profiled.

Always allow extra tiles to your order, in case of chipped or broken tiles in the boxes or accidental breakage during the process. Any unused tiles will be returned.


ST range


Single thickness profiles


<p><i>Flat edge with chamfered corner</i></p>  <p>ST 1</p>	<table border="1"> <thead> <tr> <th>Tile thickness</th> <th>Honed or Matt Finish</th> </tr> </thead> <tbody> <tr><td>10mm</td><td></td></tr> <tr><td>20mm</td><td></td></tr> <tr><td>30mm</td><td></td></tr> <tr><td>40mm</td><td></td></tr> </tbody> </table>	Tile thickness	Honed or Matt Finish	10mm		20mm		30mm		40mm		<table border="1"> <thead> <tr> <th>Honed or Matt Finish</th> <th>Application</th> </tr> </thead> <tbody> <tr><td></td><td>- Pool Copping - Stair Tread</td></tr> </tbody> </table>	Honed or Matt Finish	Application		- Pool Copping - Stair Tread
Tile thickness	Honed or Matt Finish															
10mm																
20mm																
30mm																
40mm																
Honed or Matt Finish	Application															
	- Pool Copping - Stair Tread															
<p><i>Flat edge with pencil corner</i></p>  <p>ST 2</p>	<table border="1"> <thead> <tr> <th>Tile thickness</th> <th>Honed or Matt Finish</th> </tr> </thead> <tbody> <tr><td>10mm</td><td></td></tr> <tr><td>20mm</td><td></td></tr> <tr><td>30mm</td><td></td></tr> <tr><td>40mm</td><td></td></tr> </tbody> </table>	Tile thickness	Honed or Matt Finish	10mm		20mm		30mm		40mm		<table border="1"> <thead> <tr> <th>Honed or Matt Finish</th> <th>Application</th> </tr> </thead> <tbody> <tr><td></td><td>- Pool Copping - Stair Tread</td></tr> </tbody> </table>	Honed or Matt Finish	Application		- Pool Copping - Stair Tread
Tile thickness	Honed or Matt Finish															
10mm																
20mm																
30mm																
40mm																
Honed or Matt Finish	Application															
	- Pool Copping - Stair Tread															
<p><i>Splayed edge</i></p>  <p>ST SP</p>	<table border="1"> <thead> <tr> <th>Tile thickness</th> <th>Honed or Matt Finish</th> </tr> </thead> <tbody> <tr><td>10mm</td><td></td></tr> <tr><td>20mm</td><td></td></tr> <tr><td>30mm</td><td></td></tr> <tr><td>40mm</td><td></td></tr> </tbody> </table>	Tile thickness	Honed or Matt Finish	10mm		20mm		30mm		40mm		<table border="1"> <thead> <tr> <th>Honed or Matt Finish</th> <th>Application</th> </tr> </thead> <tbody> <tr><td></td><td>- Pool Copping - Stair Tread</td></tr> </tbody> </table>	Honed or Matt Finish	Application		- Pool Copping - Stair Tread
Tile thickness	Honed or Matt Finish															
10mm																
20mm																
30mm																
40mm																
Honed or Matt Finish	Application															
	- Pool Copping - Stair Tread															
<p><i>Half bull-nose</i></p>  <p>ST 3</p>	<table border="1"> <thead> <tr> <th>Tile thickness</th> <th>Honed or Matt Finish</th> </tr> </thead> <tbody> <tr><td>10mm</td><td></td></tr> <tr><td>20mm</td><td></td></tr> <tr><td>30mm</td><td></td></tr> </tbody> </table>	Tile thickness	Honed or Matt Finish	10mm		20mm		30mm		<table border="1"> <thead> <tr> <th>Honed or Matt Finish</th> <th>Application</th> </tr> </thead> <tbody> <tr><td></td><td>- Pool Copping - Stair Tread</td></tr> </tbody> </table>	Honed or Matt Finish	Application		- Pool Copping - Stair Tread		
Tile thickness	Honed or Matt Finish															
10mm																
20mm																
30mm																
Honed or Matt Finish	Application															
	- Pool Copping - Stair Tread															
<p><i>Full bull-nose</i></p>  <p>ST 6</p>	<table border="1"> <thead> <tr> <th>Tile thickness</th> <th>Honed or Matt Finish</th> </tr> </thead> <tbody> <tr><td>10mm</td><td></td></tr> <tr><td>20mm</td><td></td></tr> <tr><td>30mm</td><td></td></tr> <tr><td>40mm</td><td></td></tr> </tbody> </table>	Tile thickness	Honed or Matt Finish	10mm		20mm		30mm		40mm		<table border="1"> <thead> <tr> <th>Honed or Matt Finish</th> <th>Application</th> </tr> </thead> <tbody> <tr><td></td><td>- Pool Copping - Stair Tread</td></tr> </tbody> </table>	Honed or Matt Finish	Application		- Pool Copping - Stair Tread
Tile thickness	Honed or Matt Finish															
10mm																
20mm																
30mm																
40mm																
Honed or Matt Finish	Application															
	- Pool Copping - Stair Tread															
<p><i>Moon shape</i></p>  <p>ST 7</p>	<table border="1"> <thead> <tr> <th>Tile thickness</th> <th>Honed or Matt Finish</th> </tr> </thead> <tbody> <tr><td>10mm</td><td></td></tr> <tr><td>20mm</td><td></td></tr> <tr><td>30mm</td><td></td></tr> <tr><td>40mm</td><td></td></tr> </tbody> </table>	Tile thickness	Honed or Matt Finish	10mm		20mm		30mm		40mm		<table border="1"> <thead> <tr> <th>Honed or Matt Finish</th> <th>Application</th> </tr> </thead> <tbody> <tr><td></td><td>- Pool Copping - Stair Tread</td></tr> </tbody> </table>	Honed or Matt Finish	Application		- Pool Copping - Stair Tread
Tile thickness	Honed or Matt Finish															
10mm																
20mm																
30mm																
40mm																
Honed or Matt Finish	Application															
	- Pool Copping - Stair Tread															
<p><i>Bevelled edge</i></p>  <p>BEV</p>	<table border="1"> <thead> <tr> <th>Tile thickness</th> <th>Coarse finish</th> </tr> </thead> <tbody> <tr><td>10mm</td><td></td></tr> <tr><td>20mm</td><td></td></tr> </tbody> </table>	Tile thickness	Coarse finish	10mm		20mm		<table border="1"> <thead> <tr> <th>Coarse finish</th> <th>Application</th> </tr> </thead> <tbody> <tr><td></td><td></td></tr> </tbody> </table>	Coarse finish	Application						
Tile thickness	Coarse finish															
10mm																
20mm																
Coarse finish	Application															


Flat lamination profiles


FL range


<i>Application</i>	Tile thickness	Honed or Matt Finish	Flat edge with chamfered corner
- Pool Copping - Stair Tread	10mm		
	20mm		
			FL 1


<i>Application</i>	Tile thickness	Honed or Matt Finish	Flat edge with pencil corner
- Pool Copping - Stair Tread	10mm		
	20mm		
			FL 2

<i>Application</i>	Tile thickness	Honed or Matt Finish	Flat edge with half bull-nose
- Pool Copping - Stair Tread	10mm		
	20mm		
			FL 3

<i>Application</i>	Tile thickness	Honed or Matt Finish	Flat edge with pencil corners
- Pool Copping - Stair Tread	10mm		
	20mm		
			FL 4







<i>Application</i>	Tile thickness	Honed or Matt Finish	Flat edge with double half bull-nose
- Pool Copping - Stair Tread	10mm		
	20mm		
			FL 5

<i>Application</i>	Tile thickness	Honed or Matt Finish	Full bull-nose
- Pool Copping - Stair Tread	10mm		
	20mm		
			FL 6

<i>Application</i>	Tile thickness	Honed or Matt Finish	Moon shape
- Pool Copping - Stair Tread	10mm		
	20mm		
			FL 7

SSB range

Single skirt laminated to the bottom

Profile Name	Face size (X)	Honed or Matt Finish	Application
SSB 1 <i>Flat edge with chamfered corner</i> 	up to 50mm		- Pool Copping - Stair Tread
SSB 2 <i>Flat edge with pencil corner</i> 	up to 50mm		- Pool Copping - Stair Tread
SSB 4 <i>Flat edge with double pencil corners</i> 	up to 50mm		- Pool Copping - Stair Tread
SSB 5 <i>Flat edge with double half bull-nose</i> 	up to 50mm		- Pool Copping - Stair Tread
SSB 7 <i>Moon shape</i> 	20mm 30mm 40mm		- Pool Copping - Stair Tread
SSB 8 <i>Bull Nose</i> 	10mm 20mm		- Pool Copping - Stair Tread

Double skirt laminated to the bottom

DSB range

<i>Application</i>	Face size (X)	Honed or Matt Finish	Flat edge with chamfered corner
- Pool Copping - Stair Tread	up to 50mm		<p>DSB 1</p>
	over 50mm		

<i>Application</i>	Face size (X)	Honed or Matt Finish	Flat edge with pencil corner on top
- Pool Copping - Stair Tread	up to 50mm		<p>DSB 2</p>
	over 50mm		

<i>Application</i>	Face size (X)	Honed or Matt Finish	Flat edge with half bull-nose on top
- Pool Copping - Stair Tread	up to 50mm		<p>DSB 3</p>
	over 50mm		

<i>Application</i>	Face size (X)	Honed or Matt Finish	Flat edge with double pencil corners
- Pool Copping - Stair Tread	up to 50mm		<p>DSB 4</p>
	over 50mm		

<i>Application</i>	Face size (X)	Honed or Matt Finish	Flat edge with double half bull-nose
- Pool Copping - Stair Tread	up to 50mm		<p>DSB 5</p>
	over 50mm		








<i>Application</i>	Face size (X)	Honed or Matt Finish	Full bullnose
- Pool Copping - Stair Tread	30mm		<p>DSB 6</p>

<i>Application</i>	Face size (X)	Honed or Matt Finish	Moon shape
- Pool Copping - Stair Tread	30mm		<p>DSB 7</p>

Customed Tiles (07) 5535 4111 1/72-74 Dover Drive, Burleigh Heads 4220


SSE range


Single skirt laminated to the edge


Profile Name	Face size (X)	Honed or Matt Finish	Application
SSE 1 <i>Flat edge with chamfered corner</i> 	Up to 50mm		- Pool Copping - Stair Tread
SSE 2 <i>Flat edge with pencil corner</i> 	Up to 50mm		- Pool Copping - Stair Tread
SSE 3 <i>Flat edge with half bull-nosed top</i> 	Up to 50mm	\$ 50.00	- Pool Copping - Stair Tread
SSE 4 <i>Flat edge wit double pencil corner</i> 	Up to 50mm		- Pool Copping - Stair Tread
SSE 5 <i>Flat edge wit double half bull-nose</i> 	Up to 50mm		- Pool Copping - Stair Tread
SSE 6 <i>Full bull-nose</i> 	20mm 30mm 40mm		- Pool Copping - Stair Tread
SSE 7 <i>Moon shape</i> 	20mm 30mm 40mm		- Pool Copping - Stair Tread


Double skirt laminated to the edge


DSE range


<i>Application</i>	Face size (X) <i>up to 50mm</i>	Honed or Matt Finish	Flat edge with chamfered corners
- Pool Copping - Stair Tread			


<i>Application</i>	Face size (X) <i>up to 50mm</i>	Honed or Matt Finish	Flat edge with pencil corner on top
- Pool Copping - Stair Tread			

<i>Application</i>	Face size (X) <i>up to 50mm</i>	Honed or Matt Finish	Flat edge with half bull-nose on top
- Pool Copping - Stair Tread			

<i>Application</i>	Face size (X) <i>up to 50mm</i>	Honed or Matt Finish	Flat edge with double pencil corners
- Pool Copping - Stair Tread			

<i>Application</i>	Face size (X) <i>up to 50mm</i>	Honed or Matt Finish	Flat edge with double half bull-nose
- Pool Copping - Stair Tread			

<i>Application</i>	Face size (X) 20mm 30mm	Honed or Matt Finish	Full bull-nose
- Pool Copping - Stair Tread			

<i>Application</i>	Face size (X) 20mm 30mm	Honed or Matt Finish	Moon shape
- Pool Copping - Stair Tread			

Customed Tiles (07) 5535 4111 172-74 Dover Drive, Burleigh Heads 4220

SP range

Wedge shape profiles

Wedge shape 1



45L A
Best for balconies

Tile thickness	Matt finish
10mm	
15mm	

Application

- Pool Copping
- Stair Tread
- Balcony Coping

45 deg. Lamination round edge




45L R

Face size (X)	Matt finish
20mm	
30mm	

Application

- Pool Copping
- Stair Tread

45 deg. Lamination square edge



45LSQ

Tile thickness	Matt finish
10mm	
15mm	
20mm	


Application


- Pool Copping
- Stair Tread

Cutting, Grooving, Dummy mosaics

<i>Safety grooves</i>		Groove width	Price per groove /Lm	Application
		2.4mm		
		4.0mm		
		6.0mm		
		over 20 Lm single groove		

<i>precision cutting</i>		Tile thickness	Price per Lm	Application
		10mm		
		20mm		
		<i>Cut only to required size. Finely chipped edges</i>		

<i>Arris</i>		Taking the sharp edge off	Application
			

<i>Grooves</i>		Laser quality, chip free grooves	Application
		1-3 grooves in the same direction	
		3+ grooves in the same direction	

At Customed Tiles we also manufacture mosaic tiles to your design or one we have developed.

If you don't find exactly what you are after in our price list please contact us and we can design and manufacture a custom profile.

If you have any questions at all on our products or on tiles in general feel free to contact us and are more than happy to help.



1/72-74 Dover Drive, Burleigh Heads, Qld 4220
p: 07 5535 4111 m: 0419 704 516
info@customedtiles.com.au

www.customedtiles.com.au